INDEX TO AUTHORS

ADAMS, W. ROBERT, and PRINCE, ALFRED M. An electron microscope study of the morphology and distribution of the intracytoplasmic "virus-like" particles of Ehrlich ascites tumor cells, 161

ANDRÉ, JEAN, and ROUILLER, CHARLES. The ultrastructure of the vitelline body in the oocyte of the spider *Tegenaria parietina*, 977

ARCHIBALD, REGINALD M. See DZIEWIATKOWSKI, BRONNER, DI FERRANTE, and ARCHIBALD, 151

BALL, ERIC G., and BARRNETT, RUSSELL J. An integrated morphological and biochemical study of a purified preparation of the succinate and DPNH oxidase system, 1023

BARRNETT, RUSSELL J., and PALADE, GEORGE E. Histochemical demonstration of the sites of activity of dehydrogenase systems with the electron microscope, 577

—. See BALL and BARRNETT, 1023

BAYLEY, S. T., COLVIN, J. R., COOPER, F. P., and MARTIN-SMITH, CECILY A. The structure of the primary epidermal cell wall of *Avena* coleoptiles, 171

BÉLANGER, L. F., VISEK, W. J., LOTZ, W. E., and COMAR, CYRIL L. The effects of fluoride feeding on the organic matrix of bones and teeth of pigs as observed by autoradiography after *in vitro* uptake of CA^{45} and S^{35}, 559

BESSIS, MARCEL C., and BRETON-GORIUS, JANINE. Iron particles in normal erythroblasts and normal and pathological erythrocytes, 503

BIRBECK, M. S. C., and MERCER, E. H. The electron microscopy of the human hair follicle. Part 1. Introduction and the hair cortex, 203

—and—. Part 2. The hair cuticle, 215

—and—. Part 3. The inner root sheath and trichohyaline, 223

BLOCH, DAVID P., MORGAN, COUNCILMAN, GODMAN, GABRIEL C., HOWE, CALDERON, and ROSE, HARRY M. A correlated histochemical and electron microscopic study of the intranuclear crystalline aggregates of adenovirus (RI-APC virus) in HeLa cells, 1

BOYER, GEORGIANA S. See LEUCHTENBERGER and BOYER, 323

BRADFIELD, J. R. G. See GIBBONS and BRADFIELD, 133

BRETON-GORIUS, JANINE. See BESSIS and BRETON-GORIUS, 503

BRONNER, FELIX. See DZIEWIATKOWSKI, BRONNER, DI FERRANTE, and ARCHIBALD, 151

CAESAR, RUDOLF, EDWARDS, GEORGE A., and RUSKA, HELMUT. Architecture and nerve supply of mammalian smooth muscle tissue, 867

CAPENOS, J. See WOLKEN, CAPENOS, and TURANO, 441

CARLSTRÖM, DIEGO. The crystal structure of α-chitin (poly-*N*-acetyl-D-glucosamine), 669

CAULFIELD, JAMES B. Effects of varying the vehicle for OsO_4 in tissue fixation, 827

CLARK, SAM L., JR. Cellular differentiation in the kidneys of newborn mice studied with the electron microscope, 349
COHEN, ADOLPH I. The cell in starvation: physiological and chemical observations, 923
—. Electron microscopic observations of *Amoeba proteus* in growth and inanition, 859
COLVIN, J. R. See BAYLEY, COLVIN, COOPER, and MARTIN-SMITH, 171
COLWIN, ARTHUR L., COLWIN, LAURA HUNTER, and PHILPOTT, DELBERT E. Electron microscope studies of early stages of sperm penetration in *Hydroides hexagonus* (Annelida) and *Saccoglossus kowalevskii* (Enteropneusta), 489
COLWIN, LAURA HUNTER. See COLWIN, COLWIN, and PHILPOTT, 489
COMAR, CYRIL L. See BÉLANGER, VISEK, LOTZ, and COMAR, 559
—. See JOHNSTON and COMAR, 231
COOPER, F. P. See BAYLEY, COLVIN, COOPER, and MARTIN-SMITH, 171
CORLETTE, SALLY L. See RUDKIN and CORLETTE, 821
COSSLETT, V. E. How thin should a section be? 815

DALTON, ALBERT J. See HENDLER, DALTON, and GLENNER, 325
DEITCH, ARLINE D., and MOSES, MONTROSE J. The Nissl substance of living and fixed spinal ganglion cells. II. An ultraviolet absorption study, 449
DE LORENZO, A. J. Electron microscopic observations of the olfactory mucosa and olfactory nerve, 839
DE ROBERTIS, EDUARDO, and FERREIRA, ALBERTO VAZ. Submicroscopic changes of the nerve endings in the adrenal medulla after stimulation of the splanchnic nerve, 611
DI FERRANTE, NICOLA. See DZIEWIATKOWSKI, BRONNER, DI FERRANTE, and ARCHIBALD, 151
DOUNCE, ALEXANDER L., O'CONNELL, MARGUERITE P., and MONTY, KENNETH J. Action of mitochondrial DNAase I in destroying the capacity of isolated cell nuclei to form gels, 649
DZIEWIATKOWSKI, DOMINIC D., BRONNER, FELIX, DI FERRANTE, NICOLA, and ARCHIBALD, REGINALD M. Some aspects of the metabolism of sulfate-S^{35} and calcium-45 in the metaphyses of immature rats. Influence of β-estradiol benzoate, 151

EDWARDS, GEORGE A. See CAESAR, EDWARDS, and RUSKA, 867
EDWARDS, LEON C., and UDUPA, K. N. Autoradiographic determination of S^{35} in tissues after injection of methionine-S^{35} and sodium sulfate-S^{35}, 757
EICHEL, HERBERT J. Intracellular localization of enzymes in spleen. I. Reduced diphosphopyridine nucleotide cytochrome *c* reductase, cytochrome *c* oxidase, and succinic dehydrogenase in the rat and guinea pig, 397
EPSTEIN, M. A. The fine structural organization of Rous tumor cells, 851
—. The fine structure of the cells in mouse sarcoma 37 ascitic fluids, 567

FARQUHAR, MARILYN G., and WELLINGS, S. ROBERT. Electron microscopic evidence suggesting secretory granule formation within the Golgi apparatus, 319
FERNÁNDEZ-MORÁN, H., and FINEAN, J. B. Electron microscope and

low-angle x-ray diffraction studies of the nerve myelin sheath, 725
FERREIRA, ALBERTO VAZ. See DE ROBERTIS and FERREIRA, 611
FINCK, HENRY. See HOLTZER, MARSHALL, and FINCK, 705
FINEAN, J. B. The role of water in the structure of peripheral nerve myelin, 95
—, and MILLINGTON, P. F. Effects of ionic strength of immersion medium on the structure of peripheral nerve myelin, 89
—. See FERNÁNDEZ-MORÁN and FINEAN, 725

GALLOP, PAUL M., SEIFTER, SAM, and MEILMAN, EDWARD. The solubility and properties of a purified ichthyocol in salt solutions of neutral pH, 545
GELBER, DOROTHY. Thin sectioning: details of techniques, 311
GIBBONS, I. R., and BRADFIELD, J. R. G. The fine structure of nuclei during sperm maturation in the locust, 133
GLENNER, GEORGE G. See HENDLER, DALTON, and GLENNER, 325
GODMAN, GABRIEL C. See BLOCH, MORGAN, GODMAN, HOWE, and ROSE, 1
—. See GROSSFELD, MEYER, GODMAN, and LINKER, 391
—. See MORGAN, GODMAN, ROSE, HOWE, and HUANG, 505
GOLDSMITH, TIMOTHY H., and PHILPOTT, DELBERT E. The microstructure of the compound eyes of insects, 429
GOULD, BERNARD S. See WOESSNER and GOULD, 685
GRÉGOIRE, CHARLES. Topography of the organic components in mother-of-pearl, 797
GRIMLEY, PHILIP M. See MOORE and GRIMLEY, 255
GROSSFELD, HENRY, MEYER, KARL, GODMAN, GABRIEL C., and LINKER, ALFRED. Mucopolysaccharides produced in tissue culture, 391
GUTTMAN, RUTH. Alterations in nuclear ribonucleic acid metabolism induced by kinetin, 129

HAGAN, JEANNE. See EICHEL, 397
HAMILTON, L. D. See LANGRIDGE, SEEDS, WILSON, HOOPER, WILKINS, and HAMILTON, 767
HAMLIN, ALICE. See HARFORD, HAMLIN, and PARKER, 749
HANNAY, CHRISTOPHER L. The parasporal body of *Bacillus laterosporus* Laubach, 1001
HANSON, JEAN. The structure of the smooth muscle fibers in the body wall of the earthworm, 111
HARFORD, CARL G., HAMLIN, ALICE, and PARKER, ESTHER. Electron microscopy of HeLa cells after the ingestion of colloidal gold, 749
HECHTER, OSCAR. See LUFT and HECHTER, 615
HENDLER, RICHARD W., DALTON, ALBERT J., and GLENNER, GEORGE G. A cytological study of the albumin-secreting cells of the hen oviduct, 325
HESS, EUGENE L., and LAGG, SAIMA E. The chemical fractionation of rabbit and swine thymus, 812
HIRAOKA, TOSISUKE. Feulgen nucleal reaction. I. Quantitative extraction of fuchsin from Feulgen-stained nucleoprotein, 525
HODGE, A. J., MARTIN, E. M., and MORTON, R. K. The structure of some cytoplasmic components of plant cells in relation to the biochemical properties of isolated particles, 61
HOLT, S. J. See NOVIKOFF and HOLT, 127
HOLTZER, HOWARD, MARSHALL, JOHN M., JR., and FINCK, HENRY. An analysis of myogenesis by the use of fluorescent antimyosin, 705
HOOPER, C. W. See LANGRIDGE,

SEEDS, WILSON, HOOPER, WILKINS, and HAMILTON, 767
HOWE, CALDERON. See BLOCH, MORGAN, GODMAN, HOWE, and ROSE, 1
—. See MORGAN, GODMAN, ROSE, HOWE, and HUANG, 505
HUANG, JOSEPH S. See MORGAN, GODMAN, ROSE, HOWE, and HUANG, 505
HUXLEY, H. E. The double array of filaments in cross-striated muscle, 631
HYDE, W. LEWIS. See INOUÉ and HYDE, 821

INOUÉ, SHINYA, and HYDE, W. LEWIS. Studies on depolarization of light at microscope lens surfaces. II. The simultaneous realization of high resolution and high sensitivity with the polarizing microscope, 831
ISHIDA, HIROSHI. See YASUZUMI and ISHIDA, 663

JACKSON, SYLVIA FITTON, and SMITH, R. H. Studies on the biosynthesis of collagen. I. The growth of fowl osteoblasts and the formation of collagen in tissue culture, 897
—. See SMITH and JACKSON, 913
JACOBSON, K. BRUCE, and KAPLAN, NATHAN O. Distribution of enzymes cleaving pyridine nucleotides in animal tissues, 31
JOHNSTON, PERRY M., and COMAR, CYRIL L. Autoradiographic studies of the utilization of S^{35}-sulfate by the chick embryo, 231

KAPLAN, NATHAN O. See JACOBSON and KAPLAN, 31
KIHLMAN, B. A. Experimentally induced chromosome aberrations in plants. I. The production of chromosome aberrations by cyanide and other heavy metal complexing agents, 363
—, MERZ, T., and SWANSON, C. P. Experimentally induced chromosome aberrations in plants. II. The effect of cyanide and other heavy metal complexing agents on the production of chromosome aberrations by x-rays, 381

LACY, DENNIS. The Golgi apparatus in neurons and epithelial cells of the common limpet *Patella vulgata*, 779
LAGG, SAIMA E. See HESS and LAGG, 812
LANGRIDGE, R., SEEDS, W. E., WILSON, H. R., HOOPER, C. W., WILKINS, M. H. F., and HAMILTON, L. D. Molecular structure of desoxyribonucleic acid (DNA), 767
LEUCHTENBERGER, CECILIE, and BOYER, GEORGIANA S. The occurrence of intranuclear crystals in living HeLa cells infected with adenoviruses, 323
LEWIS, YEVETTE S. See SMITH and LEWIS, 9
LINKER, ALFRED. See GROSSFELD, MEYER, GODMAN, and LINKER, 391
LOCKER, RONALD H., and SCHMITT, FRANCIS O. Some chemical and structural properties of paramyosin, 889
LOTZ, W. E. See BÉLANGER, VISEK, LOTZ, and COMAR, 559
LOVE, ROBERT. The nucleolus and parachromatin of the ascites tumor cell, 123
LUFT, JOHN, and HECHTER, OSCAR. An electron microscopic correlation of structure with function in the isolated perfused cow adrenal, preliminary observations, 615

MACHLIS, LEONARD. See OREM and MACHLIS, 879
MARSHALL, JOHN M., JR. See HOLTZER, MARSHALL, and FINCK, 705
MARTIN, E. M. See HODGE, MARTIN, and MORTON, 61

MARTIN-SMITH, CECILY A. See BAYLEY, COLVIN, COOPER, and MARTIN-SMITH, 171
MEILMAN, EDWARD. See GALLOP, SEIFTER, and MEILMAN, 545
MERCER, E. H. See BIRBECK and MERCER, 203, 215, 223
MERZ, T. See KIHLMAN, MERZ, and SWANSON, 381
MEYER, KARL. See GROSSFELD, MEYER, GODMAN, and LINKER, 391
MILLER, WILLIAM H. Morphology of the ommatidia of the compound eye of *Limulus*, 421
MILLINGTON, P. F. See FINEAN and MILLINGTON, 89
MONTAGNA, WILLIAM. Histology and cytochemistry of human skin. XI. The distribution of β-glucuronidase, 343
MONTY, KENNETH J. See DOUNCE, O'CONNELL, and MONTY, 649
MOORE, DAN H., and GRIMLEY, PHILIP M. Problems in methacrylate embedding for electron microscopy, 255
— and RUSKA, HELMUT. Electron microscope study of mammalian cardiac muscle cells, 261
— and —. The fine structure of capillaries and small arteries, 457
—. See RUSKA, MOORE, and WEINSTOCK, 249
MORGAN, COUNCILMAN, GODMAN, GABRIEL C., ROSE, HARRY M., HOWE, CALDERON, and HUANG, JOSEPH S. Electron microscopic and histochemical studies of an unusual crystalline protein occurring in cells infected by type 5 adenovirus. Preliminary observations, 505
—. See BLOCH, MORGAN, GODMAN, HOWE, and ROSE, 1
MORGAN, JOSEPH F., and MORTON, HELEN J. The nutrition of animal tissues cultivated *in vitro*. IV. Amino acid requirements of chick embryonic heart fibroblasts, 141
MORTON, HELEN J. See MORGAN and MORTON, 141
MORTON, R. K. See HODGE, MARTIN, and MORTON, 61
MOSES, MONTROSE J. See DEITCH and MOSES, 449
MUIR, ALAN R. An electron microscope study of the embryology of the intercalated disc in the heart of the rabbit, 193

NAORA, HIROTO. Microspectrophotometry of cell nuclei stained with the Feulgen reaction. IV. Formation of tetraploid nuclei in rat liver cells during postnatal growth, 949
NOGUEIRA-GRAF, GENEVIEVE. See UZMAN and NOGUEIRA-GRAF, 589
NOVIKOFF, ALEX B., and HOLT, S. J. Esterase-rich bodies in osmium-fixed cells of rat kidney and liver, 127

O'CONNELL, MARGUERITE P. See DOUNCE, O'CONNELL, and MONTY, 649
OKADA, SHIGEFUMI, and PEACHEY, LEE D. Effect of gamma irradiation on the desoxyribonuclease II activity of isolated mitochondria, 239
ORNSTEIN, LEONARD. "Osmiophilia," fact or fiction? 809

PAK POY, R. K. F., and ROBERTSON, J. S. Electron microscopy of the avian renal glomerulus, 183
PALADE, GEORGE E. See BARRNETT and PALADE, 577
—. See PORTER and PALADE, 269
—. See SAGER and PALADE, 463
PARKER, ESTHER. See HARFORD, HAMLIN, and PARKER, 749
PEACHEY, LEE D. See OKADA and PEACHEY, 239
PEASE, DANIEL C., and QUILLIAM, T. ANDREW. Electron microscopy of the Pacinian corpuscle, 331

PHILPOTT, DELBERT E. See COLWIN, COLWIN, and PHILPOTT, 489
—. See GOLDSMITH and PHILPOTT, 429
PLAUT, WALTER, and RUSTAD, RONALD C. Cytoplasmic incorporation of a ribonucleic acid precursor in *Amoeba proteus*, 625
PORTER, KEITH R., and PALADE, GEORGE E. Studies on the endoplasmic reticulum. III. Its form and distribution in striated muscle cells, 269
PRINCE, ALFRED M. See ADAMS and PRINCE, 161

QUILLIAM, T. ANDREW. See PEASE and QUILLIAM, 331

REBHUN, LIONEL I. Nuclear changes during spermiogenesis in a pulmonate snail, 509
ROBERTSON, J. DAVID. New observations on the ultrastructure of the membranes of frog peripheral nerve fibers, 1043
ROBERTSON, J. S. See PAK POY and ROBERTSON, 183
ROBINSON, ROBERT A. See SHELDON and ROBINSON, 1011
ROREM, EDWARD S., and MACHLIS, LEONARD. The ribonucleoprotein nature of large particles in the meiosporangia of *Allomyces*, 879
ROSE, GEORGE G. Microkinetospheres and VP satellites of pinocytic cells observed in tissue cultures of Gey's strain HeLa with phase contrast cinematographic techniques, 697
ROSE, HARRY M. See BLOCH, MORGAN, GODMAN, HOWE, and ROSE, 1
—. See MORGAN, GODMAN, ROSE, HOWE, and HUANG, 505
ROTH, L. E. An electron microscope study of the cytology of the protozoan *Euplotes patella*, 985
—. The spermatid cell membrane in *Melanoplus differentialis*, 816
ROTHSCHILD, LORD. The membrane capacitance of the sea urchin egg, 103
ROUILLER, CHARLES. See ANDRÉ and ROUILLER, 977
RUDKIN, GEORGE T., and CORLETTE, SALLY L. A photographic method for measuring ultraviolet radiation scattered from microscopic objects, 821
RUSKA, HELMUT, MOORE, DAN H., and WEINSTOCK, JOHN. The base of the proximal convoluted tubule cells of rat kidney, 249
—. See CAESAR, EDWARDS, and RUSKA, 867
—. See MOORE and RUSKA, 261, 457
RUSTAD, RONALD C. See PLAUT and RUSTAD, 625

SAGER, RUTH, and PALADE, GEORGE E. Structure and development of the chloroplast in *Chlamydomonas*. I. The normal green cell, 463
SCHMITT, FRANCIS O. See LOCKER and SCHMITT, 889
SEEDS, W. E. See LANGRIDGE, SEEDS, WILSON, HOOPER, WILKINS, and HAMILTON, 767
SEIFTER, SAM. See GALLOP, SEIFTER, and MEILMAN, 545
SHELDON, HUNTINGTON. A method for evaluating glass knives, 621
— and ROBINSON, ROBERT A. Electron microscope studies of crystal-collagen relationships in bone. IV. The occurrence of crystals within collagen fibrils, 1011
SIDMAN, RICHARD L. The structure and concentration of solids in photoreceptor cells studied by refractometry and interference microscopy, 15
SMITH, DOUGLAS E., and LEWIS, YEVETTE S. Electron microscopy of the tissue mast cell, 9
SMITH, R. H., and JACKSON, SYLVIA

FITTON. Studies on the biosynthesis of collagen. II. The conversion of C^{14}-L-proline to C^{14}-hydroxyproline by fowl osteoblasts in tissue culture, 913
SMITH, R. H. See JACKSON and SMITH, 897
SOTELO, J. ROBERTO, and TRUJILLO-CENÓZ, OMAR. Electron microscope study of the vitelline body of some spider oocytes, 301
STEERE, RUSSELL L. Electron microscopy of structural detail in frozen biological specimens, 45
STRAUS, WERNER. Changes in "droplet" fractions from rat kidney cells after intraperitoneal injection of egg white, 933
—. Segregation of an intravenously injected protein by "droplets" of the cells of rat kidneys, 1037
SWANSON, C. P. See KIHLMAN, MERZ, and SWANSON, 381

THORNBURG, WAYNE. The form birefringence of lamellar systems containing three or more components, 413
TROWELL, O. A. Re-utilization of lymphocytes in lymphopoiesis, 317
TRUJILLO-CENÓZ, OMAR. See SOTELO and TRUJILLO-CENÓZ, 301
TURANO, A. See WOLKEN, CAPENOS, and TURANO, 441

UDUPA, K. N. See EDWARDS and UDUPA, 757
UZMAN, BETTY GEREN, and NOGUEIRA - GRAF, GENEVIEVE. Electron microscope studies of the formation of nodes of Ranvier in mouse sciatic nerves, 589

VISEK, W. J. See BÉLANGER, VISEK, LOTZ, and COMAR, 559

WATSON, MICHAEL L. Reduction of heating artifacts in thin sections examined in the electron microscope, 1017
WEINSTOCK, JOHN. See RUSKA, MOORE, and WEINSTOCK, 249
WEISS, LEON. A study of the structure of splenic sinuses in man and in the albino rat with the light microscope and the electron microscope, 599
WELLINGS, S. ROBERT. See FARQUHAR and WELLINGS, 319
WEST, JOAN C. W. See DOUNCE, O'CONNELL, AND MONTY, 649
WILKINS, M. H. F. See LANGRIDGE, SEEDS, WILSON, HOOPER, WILKINS, and HAMILTON, 767
WILSON, H. R. See LANGRIDGE, SEEDS, WILSON, HOOPER, WILKINS, and HAMILTON, 767
WISCHNITZER, SAUL. The ultrastructure of yolk platelets of amphibian oocytes, 1040
WOESSNER, J. FREDERICK, and GOULD, BERNARD S. Collagen biosynthesis. Tissue culture experiments to ascertain the role of ascorbic acid in collagen formation, 685
WOLKEN, J. J., CAPENOS, J., and TURANO, A. Photoreceptor structures. III. *Drosophila melanogaster*, 441
WOODS, PHILIP S. A chromatographic study of hydrolysis in the Feulgen nucleal reaction, 71

YASUZUMI, G., and ISHIDA, HIROSHI. Spermatogenesis in animals as revealed by electron microscopy. II. Submicroscopic structure of developing spermatid nuclei of grasshopper, 663

INDEX TO SUBJECTS

ACID, amino, requirements of chick embryonic heart fibroblasts, cultivated *in vitro*, 141
—, ascorbic, in collagen formation, tissue culture to ascertain role, 685
—, desoxyribonucleic, molecular structure, 767
—, ribonucleic, nuclear, metabolism, alterations induced by kinetin, 129
—, ribonucleic, precursor in *Amoeba proteus*, cytoplasmic incorporation, 625
Adenovirus, crystalline protein in cells infected by, electron microscopic and histochemical studies, 505
— in HeLa cells, intranuclear crystalline aggregates, histochemical and electron microscopic study, 1
Adenoviruses, intranuclear crystals in living HeLa cells infected with, 323
Adrenal, cow, isolated, perfused, electron microscopic correlation of structure with function, 615
— medulla, nerve endings, submicroscopic changes after stimulation of splanchnic nerve, 611
Albumin-secreting cells of hen oviduct, cytological study, 325
Allomyces, ribonucleoprotein nature of large particles in meiosporangia of, 879
Amino acid requirements of chick embryonic heart fibroblasts, cultivated *in vitro*, 141
Amoeba proteus, cytoplasmic incorporation of ribonucleic acid precursor, 625
— *proteus*, growth and inanition, electron microscopic observations, 859
Amphibian oocytes, ultrastructure of yolk platelets, 1040
Annelida, *Hydroides hexagonus*, early stages of sperm penetration, electron microscope study, 489
Antimyosin, fluorescent, used to analyze myogenesis, 705
Apparatus, Golgi, in neurons and epithelial cells of *Patella vulgata*, 779
—, Golgi, secretory granule formation within, electron microscopic evidence, 319
Arteries, small, and capillaries, fine structure, 457
Artifacts, heating, reduction in thin sections examined in electron microscope, 1017
Ascites tumor cell, nucleolus and parachromatin, 123
— tumor cells, Ehrlich, intracytoplasmic particles, morphology and distribution, electron microscope study, 161
Ascitic fluids, mouse sarcoma 37, fine structure of cells, 567
Ascorbic acid in collagen formation, tissue culture to ascertain role, 685
Autoradiography, determination of sulfur-35 in tissues after injection of methionine sulfur-35 and sodium sulfate sulfur-35, 757
—, effects of fluoride feeding on organic matrix of bones and teeth observed after *in vitro* uptake of calcium-45 and sulfur-35, 559
—, utilization of sulfur-35 sulfate by chick embryo, 231
Avena coleoptiles, structure of primary epidermal cell wall, 171
Avian renal glomerulus, electron microscopy, 183

BACILLUS *laterosporus*, parasporal body, 1001
Biochemical properties of isolated particles, structure of cytoplasmic components of plant cells in relation to, 61
Biochemistry and morphology, purified preparation of succinate and reduced diphosphopyridine nucleotide oxidase system, 1023
Biological specimens, frozen, electron microscopy of structural detail, 45
Biosynthesis of collagen, conversion of carbon-14-L-proline to carbon-14-hydroxyproline by fowl osteoblasts in tissue culture, 913
— of collagen, growth of fowl osteoblasts and formation of collagen in tissue culture, 897
— of collagen, tissue culture to ascertain role of ascorbic acid, 685
Birefringence, form, of lamellar systems containing three or more components, 413
Body, vitelline, in oocyte of *Tegenaria parietina*, ultrastructure, 977
— wall of earthworm, structure of smooth muscle fibers, 111
Bone, crystal-collagen relationships, electron microscopy, 1011
Bones and teeth, effects of fluoride feeding on organic matrix, observed by autoradiography after *in vitro* uptake of calcium-45 and sulfur-35, 559

CALCIUM-45 and sulfate sulfur-35, metabolism, in metaphyses of immature rats, influence of β-estradiol benzoate, 151
—— and sulfur-35, effects of fluoride feeding on organic matrix of bones and teeth observed by autoradiography after *in vitro* uptake of, 559
Capacitance, membrane, of sea urchin egg, 103
Capillaries and small arteries, fine structure, 457
Carbon-14-L-proline, conversion to carbon-14-hydroxyproline by fowl osteoblasts in tissue culture, biosynthesis of collagen, 913
Cardiac. *See* Heart.
Cell, ascites tumor, nucleolus and parachromatin, 123
—, green, normal, *Chlamydomonas*, structure and development of chloroplast, 463
— in starvation, physiology and chemistry, 923
—, mast, tissue, electron microscopy, 9
— membrane, spermatid, in *Melanoplus differentialis*, 816
— nuclei, isolated, action of mitochondrial desoxyribonuclease in destroying capacity to form gels, 649
— nuclei, tetraploid, in rat liver cells during postnatal growth, stained with Feulgen reaction, microspectrophotometry, 949
— wall, epidermal, primary, of *Avena* coleoptiles, structure, 171
Cells, albumin-secreting, of hen oviduct, cytological study, 325
—, cardiac muscle, mammalian, electron microscope study, 261
—, Ehrlich ascites tumor, intracytoplasmic particles, morphology and distribution, electron microscope study, 161
—, epithelial, and neurons, of *Patella vulgata*, Golgi apparatus, 779
—, fine structure, in mouse sarcoma 37 ascitic fluids, 567
—, ganglion, spinal, living and fixed, Nissl substance, ultraviolet absorption study, 449
—, HeLa, after ingestion of colloidal gold, electron microscopy, 749
—, HeLa, intranuclear crystalline aggregates of adenovirus in, histochemical and electron microscopic study, 1
—, HeLa, living, infected with adenoviruses, intranuclear crystals in, 323
— infected by adenovirus, crystalline protein in, electron microscopic and histochemical studies, 505

Cells, kidney, rat, changes in droplet fractions after intraperitoneal injections of egg white, 933
—, muscle, striated, form and distribution of endoplasmic reticulum, 269
—, osmium-fixed, of rat kidney and liver, esterase-rich bodies in, 127
—, photoreceptor, structure and concentration of solids studied by refractometry and interference microscopy, 15
—, pinocytic, in tissue cultures of strain HeLa, microkinetospheres and variant pinocytic satellites, by phase contrast cinematography, 697
—, plant, cytoplasmic components, structure in relation to biochemical properties of isolated particles, 61
—, proximal convoluted tubule, of rat kidney, 249
—, rat kidney, droplets segregating intravenously injected protein, 1037
—, Rous tumor, fine structural organization, 851
Cellular differentiation in kidneys of newborn mice studied with electron microscope, 349
Chemical fractionation of rabbit and swine thymus, 812
Chemistry, histo-, and electron microscopy, of crystalline protein in cells infected by adenovirus, 505
—, histo-, and electron microscopy of intranuclear crystalline aggregates of adenovirus in HeLa cells, 1
—, histo-, for demonstration of sites of activity of dehydrogenase systems with electron microscope, 577
— and physiology of cell in starvation, 923
— and structural properties of paramyosin, 889
Chitin, α-, crystal structure, 669
Chlamydomonas, chloroplast, structure and development, normal green cell, 463
Chloroplast in *Chlamydomonas*, structure and development, normal green cell, 463
Chromatographic study of hydrolysis in Feulgen nucleal reaction, 71
Chromosome aberrations in plants, effect of cyanide and heavy metal complexing agents on production by x-rays, 381
— aberrations in plants, induced by cyanide and heavy metal complexing agents, 363
Cinematography, phase contrast, microkinetospheres and variant pinocytic satellites of pinocytic cells in tissue cultures of strain HeLa, 697
Coleoptiles, *Avena*, structure of primary epidermal cell wall, 171
Collagen, biosynthesis, conversion of carbon-14-L-proline to carbon-14-hydroxyproline by fowl osteoblasts in tissue culture, 913
— biosynthesis, growth of fowl osteoblasts and formation of collagen in tissue culture, 897
— biosynthesis, tissue culture to ascertain role of ascorbic acid, 685
— and crystals, relationships in bone, electron microscopy, 1011
Colloidal gold, electron microscopy of HeLa cells after ingestion, 749
Corpuscle, Pacinian, electron microscopy, 331
Cow adrenal, isolated, perfused, electron microscopic correlation of structure with function, 615
Crystal-collagen relationships in bone, electron microscopy, 1011
— structure of α-chitin, 669
Crystalline aggregates, intranuclear, of adenovirus in HeLa cells, histochemical and electron microscopic study, 1
— protein, in cells infected by adeno-

virus, electron microscopic and histochemical studies, 505
Crystals, intranuclear, in living HeLa cells infected with adenoviruses, 323
Cultivation of animal tissues *in vitro*, nutrition, amino acid requirements of chick embryonic heart fibroblasts, 141
Culture, tissue, formation of collagen, and growth of fowl osteoblasts, 897
—, tissue, fowl osteoblasts, conversion of carbon-14-L-proline to carbon-14-hydroxyproline, collagen biosynthesis, 913
—, tissue, mucopolysaccharides produced in, 391
—, tissue, of strain HeLa, microkinetospheres and variant pinocytic satellites of pinocytic cells, phase contrast cinematography, 697
—, tissue, to ascertain role of ascorbic acid in collagen formation, 685
Cuticle, hair follicle, human, electron microscopy, 215
Cyanide and heavy metal complexing agents, chromosome aberrations induced in plants by, 363
— and heavy metal complexing agents, effect on production of chromosome aberrations in plants by x-rays, 381
Cytochemistry and histology of human skin, distribution of β-glucuronidase, 343
Cytochrome *c* oxidase, reduced diphosphopyridine nucleotide cytochrome *c* reductase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
— *c* reductase, reduced, diphosphopyridine nucleotide, cytochrome *c* oxidase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
Cytology, albumin-secreting cells of hen oviduct, 325
Cytology, *Euplotes patella*, electron microscope study, 985
Cytoplasmic components of plant cells, structure in relation to biochemical properties of isolated particles, 61
— incorporation of ribonucleic acid precursor in *Amoeba proteus*, 625

DEHYDROGENASE, succinic, reduced diphosphopyridine nucleotide cytochrome *c* reductase, and cytochrome *c* oxidase, intracellular localization of enzymes in spleen, 397
— systems, histochemical demonstration of sites of activity with electron microscope, 577
Depolarization of light at microscope lens surfaces, simultaneous realization of high resolution and high sensitivity, 831
Desoxyribonuclease activity of isolated mitochondria, effect of gamma irradiation, 239
—, mitochondrial, action in destroying capacity of isolated cell nuclei to form gels, 649
Desoxyribonucleic acid, molecular structure, 767
Diffraction, low-angle x-ray, and electron microscopy, of nerve myelin sheath, 725
Diphosphopyridine nucleotide cytochrome *c* reductase, reduced, cytochrome *c* oxidase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
— nucleotide, reduced, oxidase system, purified preparation, morphology and biochemistry, 1023
Drosophila melanogaster, photoreceptor structures, 441

EARTHWORM, structure of smooth muscle fibers in body wall, 111
Egg, sea urchin, membrane capacitance, 103
— white, changes in droplet fractions

from rat kidney cells after intraperitoneal injection, 933
Electron microscopy, *Amoeba proteus*, growth and inanition, 859
— microscopy, avian renal glomerulus, 183
— microscopy, cellular differentiation in kidneys of newborn mice, 349
— microscopy, correlation of structure with function in isolated perfused cow adrenal, 615
— microscopy, crystal-collagen relationships in bone, 1011
— microscopy, cytology of *Euplotes patella*, 985
— microscopy, early stages of sperm penetration in *Hydroides hexagonus* and *Saccoglossus kowalevskii*, 489
— microscopy, embryology of intercalated disc in heart of rabbit, 193
— microscopy, evidence suggesting secretory granule formation within Golgi apparatus, 319
— microscopy, formation of nodes of Ranvier in mouse sciatic nerves, 589
— microscopy, HeLa cells after ingestion of colloidal gold, 749
— microscopy, histochemical demonstration of sites of activity of dehydrogenase systems, 577
— microscopy and histochemistry, crystalline protein in cells infected by adenovirus, 505
— microscopy and histochemistry, intranuclear crystalline aggregates of adenovirus in HeLa cells, 1
— microscopy, human hair follicle, cortex, 203
— microscopy, human hair follicle, cuticle, 215
— microscopy, human hair follicle, inner root sheath and trichohyaline, 223
— microscopy and light microscopy, study of structure of splenic sinuses in man and albino rat, 599
Electron microscopy and low-angle x-ray diffraction studies of nerve myelin sheath, 725
— microscopy, mammalian cardiac muscle cells, 261
— microscopy, methacrylate embedding, 255
— microscopy, morphology and distribution of intracytoplasmic virus-like particles of Ehrlich ascites tumor cells, 161
— microscopy, olfactory mucosa and olfactory nerve, 839
— microscopy, Pacinian corpuscle, 331
— microscopy, reduction of heating artifacts in thin sections, 1017
— microscopy, spermatogenesis, structure of developing spermatid nuclei of grasshopper, 663
— microscopy, structural detail in frozen biological specimens, 45
— microscopy, tissue mast cell, 9
— microscopy, vitelline body of spider oocytes, 301
Embedding, methacrylate, in electron microscopy, 255
Embryo, chick, utilization of sulfur-35 sulfate, autoradiographic studies, 231
Embryology of intercalated disc in heart of rabbit, electron microscope study, 193
Embryonic heart fibroblasts, of chick, amino acid requirements, cultivated *in vitro*, 141
Endoplasmic reticulum, form and distribution in striated muscle cells, 269
Enteropneusta, *Saccoglossus kowalevskii*, early stages of sperm penetration, electron microscope study, 489
Enzymes cleaving pyridine nucleotides in animal tissues, distribution, 31
—, intracellular, localization in spleen, reduced diphosphopyridine nucleotide cytochrome *c* reductase, cyto-

chrome *c* oxidase, and succinic dehydrogenase, 397
Epidermal cell wall, primary, of *Avena* coleoptiles, structure, 171
Epithelial cells and neurons of *Patella vulgata*, Golgi apparatus, 779
Erythroblasts, normal, iron particles in, 503
Erythrocytes, normal and pathological, iron particles in, 503
Esterase-rich bodies in osmium-fixed cells of rat kidney and liver, 127
β-Estradiol benzoate, influence in metabolism of sulfate sulfur-35 and calcium-45 in metaphyses of immature rats, 151
Euplotes patella, cytology, electron microscope study, 985
Eye, compound, of insects, microstructure, 429
—, compound, of *Limulus*, morphology of ommatidia, 421

FEEDING, fluoride, effects on organic matrix of bones and teeth observed by autoradiography after *in vitro* uptake of calcium-45 and sulfur-35, 559
Feulgen nucleal reaction, chromatographic study of hydrolysis, 71
— reaction, tetraploid nuclei in rat liver cells during postnatal growth, microspectrophotometry, 949
—-stained nucleoprotein, quantitative extraction of fuchsin, 525
Fibers, nerve, peripheral, of frog, ultrastructure of membranes, 1043
—, smooth muscle, in body wall of earthworm, structure, 111
Fibrils, collagen, containing crystals, relationships in bone, electron microscopy, 1011
Fibroblasts, heart, chick embryo, amino acid requirements, cultivated *in vitro*, 141
Filaments in cross-striated muscle, 631
Fixation, tissue, osmium tetroxide in, effects of varying vehicle, 827
Fixed spinal ganglion cells, and living, Nissl substance, ultraviolet absorption study, 449
Fluorescent antimyosin, used to analyze myogenesis, 705
Fluoride feeding, effects on organic matrix of bones and teeth observed by autoradiography after *in vitro* uptake of calcium-45 and sulfur-35, 559
Follicle, human hair, cortex, electron microscopy, 203
—, human hair, cuticle, electron microscopy, 215
—, human hair, inner root sheath and trichohyaline, electron microscopy, 223
Fowl osteoblasts, growth, and formation of collagen in tissue culture, 897
— osteoblasts in tissue culture, conversion of carbon-14-L-proline to carbon-14-hydroxyproline, collagen biosynthesis, 913
Frog peripheral nerve fibers, membranes, ultrastructure, 1043
Frozen biological specimens, electron microscopy of structural detail, 45
Fuchsin, quantitative extraction from Feulgen-stained nucleoprotein, 525

GAMMA irradiation, effect on desoxyribonuclease II activity of isolated mitochondria, 239
Ganglion cells, spinal, living and fixed, Nissl substance, ultraviolet study, 449
Gels, action of mitochondrial desoxyribonuclease in destroying capacity of isolated cell nuclei to form, 649
Glass knives, method for evaluating, 621
Glomerulus, renal, avian, electron microscopy, 183

Glucosamine, poly-*N*-acetyl-D-, crystal structure, 669
β-Glucuronidase, distribution, histology and cytochemistry of human skin, 343
Gold, colloidal, electron microscopy of HeLa cells after ingestion, 749
Golgi apparatus in neurons and epithelial cells of *Patella vulgata*, 779
— apparatus, secretory granule formation within, electron microscopic evidence, 319
Granule, secretory, formation within Golgi apparatus, electron microscopic evidence, 319
Grasshopper, submicroscopic structure of developing spermatid nuclei, 663
Growth and inanition, in *Amoeba proteus*, electron microscopic observations, 859

HAIR follicle, human, cortex, electron microscopy, 203
— follicle, human, cuticle, electron microscopy, 215
— follicle, human, inner root sheath and trichohyaline, electron microscopy, 223
Heart fibroblasts, chick embryo, amino acid requirements, cultivated *in vitro*, 141
— muscle cells, mammalian, electron microscope study, 261
—, rabbit, embryology of intercalated disc, electron microscope study, 193
Heating artifacts, reduction in thin sections examined in electron microscope, 1017
Hen oviduct, albumin-secreting cells, cytological study, 325
Histochemistry and electron microscopy, crystalline protein in cells infected by adenovirus, 505
— and electron microscopy, intranuclear crystalline aggregates of adenovirus in HeLa cells, 1
—, for demonstration of sites of activity of dehydrogenase systems with electron microscope, 577
Histology and cytochemistry of human skin, distribution of β-glucuronidase, 343
Hydrogen ion concentration, neutral salt solutions, effect on solubility and properties of purified ichthyocol, 545
Hydroides hexagonus and *Saccoglossus kowalevskii*, early stages of sperm penetration, electron microscope study, 489
Hydrolysis, in Feulgen nucleal reaction, chromatographic study, 71
Hydroxyproline, carbon-14, conversion of carbon-14-L-proline to, by fowl osteoblasts in tissue culture, collagen biosynthesis, 913

ICHTHYOCOL, purified, solubility and properties in salt solutions of neutral pH, 545
Inanition and growth, in *Amoeba proteus*, electron microscopic observations, 859
Injection, intraperitoneal, of egg white, in rat kidney cells resulting in changes in droplet fractions, 933
—, intravenous, protein, segregation by droplets of cells of rat kidneys, 1037
Insects, compound eyes, microstructure, 429
Interference microscopy and refractometry, structure and concentration of solids in photoreceptor cells, 15
Intracellular localization of enzymes in spleen, reduced diphosphopyridine nucleotide cytochrome *c* reductase, cytochrome *c* oxidase, and succinic dehydrogenase, 397
Intracytoplasmic virus-like particles of Ehrlich ascites tumor cells, morphology and distribution, electron microscope study, 161

Intranuclear crystalline aggregates of adenovirus in HeLa cells, histochemical and electron microscopic study, 1
— crystals in living HeLa cells infected with adenoviruses, 323
Ionic strength of immersion medium, effects on structure of peripheral nerve myelin, 89
Iron particles in normal erythroblasts and normal and pathological erythrocytes, 503
Irradiation, gamma, effect on desoxyribonuclease II activity of isolated mitochondria, 239

KIDNEY cells, rat, changes in droplet fractions from, after intraperitoneal injection of egg white, 933
— glomerulus, avian, electron microscopy, 183
— of newborn mice, cellular differentiation studied with electron microscope, 349
—, rat, and liver, esterase-rich bodies in osmium-fixed cells, 127
—, rat, proximal convoluted tubule cells, 249
—, rat, segregation of intravenously injected protein by droplets of cells, 1037
Kinetin, alterations in nuclear ribonucleic acid metabolism induced by, 129
Knives, glass, method for evaluating, 621

LAMELLAR systems containing three or more components, form birefringence, 413
Light, depolarization at microscope lens surfaces, simultaneous realization of high resolution and high sensitivity, 831
— microscopy, and electron microscopy, study of structure of splenic sinuses in man and albino rat, 599
Limpet, *Patella vulgata*, Golgi apparatus in neurons and epithelial cells, 779
Limulus, compound eye, morphology of ommatidia, 421
Liver, and kidney, rat, esterase-rich bodies in osmium-fixed cells, 127
Liver, rat, tetraploid nuclei in cells during postnatal growth, stained with Feulgen reaction, microspectrophotometry, 949
Locust, fine structure of nuclei during sperm maturation, 133
Lymphocytes in lymphopoiesis, re-utilization, 317
Lymphopoiesis, re-utilization of lymphocytes, 317

MAMMALIAN cardiac muscle cells, electron microscope study, 261
— smooth muscle tissue, nerve supply and architecture, 867
Man and albino rat, splenic sinuses in, study of structure with light and electron microscopes, 599
—, hair follicle, cortex, electron microscopy, 203
—, hair follicle, cuticle, electron microscopy, 215
—, hair follicle, inner root sheath and trichohyaline, electron microscopy, 223
—, skin, cytochemistry and histology, distribution of β-glucuronidase, 343
Medulla, adrenal, nerve endings, submicroscopic changes after stimulation of splanchnic nerve, 611
Meiosporangia of *Allomyces*, ribonucleoprotein nature of large particles in, 879
Melanoplus differentialis, spermatid cell membrane, 816
Membrane capacitance of sea urchin egg, 103
—, cell, spermatid, in *Melanoplus differentialis*, 816
—, frog peripheral nerve fibers, ultrastructure, 1043

Metabolism, nuclear ribonucleic acid, alterations induced by kinetin, 129
— of sulfate sulfur-35 and calcium-45 in metaphyses of immature rats, influence of β-estradiol benzoate, 151
Metal, heavy, complexing agents, and cyanide, chromosome aberrations induced in plants by, 363
—, heavy, complexing agents, and cyanide, effect on production of chromosome aberrations in plants by x-rays, 381
Metaphyses of immature rats, metabolism of sulfate sulfur-35 and calcium-45, influence of β-estradiol benzoate, 151
Methacrylate embedding, in electron microscopy, 255
Methionine sulfur-35 and sodium sulfate sulfur-35, autoradiographic determination of sulfur-35 in tissues after injection, 757
Microkinetospheres and variant pinocytic satellites of pinocytic cells in tissue cultures of strain HeLa by phase contrast cinematography, 697
Microscope lens surfaces, simultaneous realization of high resolution and high sensitivity with polarizing microscope at, 831
Microscopic objects, photographic method for measuring ultraviolet radiation scattered from, 821
—, sub-, changes of nerve endings in adrenal medulla after stimulation of splanchnic nerve, 611
—, sub-, structure of developing spermatid nuclei of grasshopper, 663
Microscopy, electron, *Amoeba proteus* in growth and inanition, 859
—, electron, avian renal glomerulus, 183
—, electron, cellular differentiation in kidneys of newborn mice, 349
—, electron, correlation of structure with function in isolated perfused cow adrenal, 615
Microscopy, electron, crystal-collagen relationships in bone, 1011
—, electron, cytology of *Euplotes patella*, 985
—, electron, early stages of sperm penetration in *Hydroides hexagonus* and *Saccoglossus kowalevskii*, 489
—, electron, embryology of intercalated disc in heart of rabbit, 193
—, electron, evidence suggesting secretory granule formation within Golgi apparatus, 319
—, electron, formation of nodes of Ranvier in mouse sciatic nerves, 589
—, electron, HeLa cells after ingestion of colloidal gold, 749
—, electron, histochemical demonstration of sites of activity of dehydrogenase systems, 577
—, electron, and histochemistry, crystalline protein in cells infected by adenovirus, 505
—, electron, and histochemistry, intranuclear crystalline aggregates of adenovirus in HeLa cells, 1
—, electron, human hair follicle, cortex, 203
—, electron, human hair follicle, cuticle, 215
—, electron, human hair follicle, inner root sheath and trichohyaline, 223
—, electron, and low-angle x-ray diffraction studies of nerve myelin sheath, 725
—, electron, mammalian cardiac muscle cells, 261
—, electron, methacrylate embedding, 255
—, electron, morphology and distribution of intracytoplasmic virus-like particles of Ehrlich ascites tumor cells, 161
—, electron, olfactory mucosa and olfactory nerve, 839
—, electron, Pacinian corpuscle, 331

Microscopy, electron, reduction of heating artifacts in thin sections, 1017
—, electron, spermatogenesis, structure of developing spermatid nuclei of grasshopper, 663
—, electron, structural detail in frozen biological specimens, 45
—, electron, tissue mast cell, 9
—, electron, vitelline body of spider oocytes, 301
—, interference, and refractometry, structure and concentration of solids in photoreceptor cells, 15
—, light, and electron microscopy, structure of splenic sinuses in man and albino rat, 599
Microspectrophotometry of cell nuclei stained with Feulgen reaction, formation of tetraploid nuclei in rat liver cells during postnatal growth, 949
Microstructure of compound eyes of insects, 429
Mitochondria, isolated, effect of gamma irradiation on desoxyribonuclease II activity, 239
Mitochondrial desoxyribonuclease, action in destroying capacity of isolated cell nuclei to form gels, 649
Molecular structure of desoxyribonucleic acid, 767
Morphology and biochemistry, of purified preparation of succinate and reduced diphosphopyridine nucleotide oxidase system, 1023
— and distribution of intracytoplasmic virus-like particles of Ehrlich ascites tumor cells, electron microscope study, 161
— of ommatidia of compound eye of *Limulus*, 421
Mother-of-pearl, organic components, topography, 797
Mouse, newborn, cellular differentiation in kidneys, studied with electron microscope, 349
Mouse sarcoma 37 ascitic fluids, fine structure of cells, 567
— sciatic nerves, electron microscope studies of formation of nodes of Ranvier, 589
Mucopolysaccharides produced in tissue culture, 391
Mucosa, olfactory, and olfactory nerve, electron microscopic observations, 839
Muscle cells, cardiac, mammalian, electron microscope study, 261
— cells, striated, form and distribution of endoplasmic reticulum, 269
—, cross-striated, filaments in, 631
— fibers, smooth, in body wall of earthworm, structure, 111
— tissue, smooth, mammalian, architecture and nerve supply, 867
Myelin, nerve, peripheral, effects of ionic strength of immersion medium on structure, 89
—, nerve, peripheral, role of water in structure, 95
— sheath, nerve, electron microscope and low-angle x-ray diffraction studies, 725
Myogenesis, analyzed with fluorescent antimyosin, 705

NERVE endings in adrenal medulla, submicroscopic changes after stimulation of splanchnic nerve, 611
— fibers, peripheral, frog, ultrastructure of membranes, 1043
— myelin, peripheral, effects of ionic strength of immersion medium on structure, 89
— myelin, peripheral, role of water in structure, 95
— myelin sheath, electron microscope and low-angle x-ray diffraction studies, 725
—, olfactory, and olfactory mucosa, electron microscopic observations, 839

Nerve, sciatic, of mouse, electron microscope studies of formation of nodes of Ranvier, 589
—, splanchnic, submicroscopic changes of nerve endings in adrenal medulla after stimulation of, 611
— supply and architecture of mammalian smooth muscle tissue, 867
Neurons and epithelial cells of *Patella vulgata*, Golgi apparatus, 779
Nissl substance of living and fixed spinal ganglion cells, ultraviolet absorption study, 449
Nodes, Ranvier, formation in mouse sciatic nerves, electron microscope studies, 589
Nucleal reaction, Feulgen, chromatographic study of hydrolysis, 71
— reaction, Feulgen, quantitative extraction of fuchsin from nucleoprotein, 525
Nuclear changes during spermiogenesis in pulmonate snail, 509
— ribonucleic acid metabolism, alterations induced by kinetin, 129
Nuclease, desoxyribo-, activity of isolated mitochondria, effect of gamma irradiation, 239
—, desoxyribo-, mitochondrial, action in destroying capacity of isolated cell nuclei to form gels, 649
Nuclei, cell, isolated, action of mitochondrial desoxyribonuclease in destroying capacity to form gels, 649
—, cell, tetraploid, in rat liver cells during postnatal growth, stained with Feulgen reaction, microspectrophotometry, 949
—, fine structure, during sperm maturation in locust, 133
—, spermatid, developing, submicroscopic structure, 663
Nucleic acid, desoxyribo-, molecular structure, 767
— acid, ribo-, nuclear, metabolism, alterations induced by kinetin, 129
Nucleic acid, ribo-, precursor in *Amoeba proteus*, cytoplasmic incorporation, 625
Nucleolus and parachromatin of ascites tumor cell, 123
Nucleoprotein, Feulgen-stained, quantitative extraction of fuchsin, 525
—, ribo-, as large particles in meiosporangia of *Allomyces*, 879
Nucleotide, diphosphopyridine, cytochrome *c* reductase, reduced, cytochrome *c* oxidase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
Nucleotide, diphosphopyridine, reduced, oxidase system, purified preparation, morphology and biochemistry, 1023
Nucleotides, pyridine, in animal tissues, distribution of enzymes cleaving, 31
Nutrition of animal tissues cultivated *in vitro*, amino acid requirements of chick embryonic heart fibroblasts, 141

OLFACTORY mucosa and olfactory nerve, electron microscopic observations, 839
Ommatidia of compound eye of *Limulus*, morphology, 421
Oocytes, amphibian, ultrastructure of yolk platelets, 1040
—, spider, vitelline body, electron microscope study, 301
—, *Tegenaria parietina*, ultrastructure of vitelline body, 977
Organic matrix of bones and teeth, effects of fluoride feeding on, observed by autoradiography after *in vitro* uptake of calcium-45 and sulfur-35, 559
Osmiophilia, 809
Osmium-fixed cells of rat kidney and liver, esterase-rich bodies in, 127
— tetroxide in tissue fixation, effects of varying vehicle, 827

Osteoblasts, fowl, growth, and formation of collagen in tissue culture, 897
—, fowl, in tissue culture, conversion of carbon-14-L-proline to carbon-14-hydroxyproline, collagen biosynthesis, 913
Oviduct, hen, albumin-secreting cells, cytological study, 325
Oxidase, cytochrome *c*, reduced diphosphopyridine nucleotide cytochrome *c* reductase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
—, reduced diphosphopyridine nucleotide and succinate system, purified preparation, morphology and biochemistry, 1023

PACINIAN corpuscle, electron microscopy, 331
Parachromatin and nucleolus of ascites tumor cell, 123
Paramyosin, chemical and structural properties, 889
Particles, intracytoplasmic, virus-like, of Ehrlich ascites tumor cells, morphology and distribution, electron microscope study, 161
—, iron, in normal erythroblasts and normal and pathological erythrocytes, 503
—, isolated, structure of cytoplasmic components of plant cells in relation to biochemical properties of, 61
—, large, in meiosporangia of *Allomyces*, ribonucleoprotein nature, 879
Patella vulgata, Golgi apparatus in neurons and epithelial cells, 779
Pathological and normal erythrocytes, and normal erythroblasts, iron particles in, 503
Perfused cow adrenal, isolated, electron microscopic correlation of structure with function, 615
Phase contrast cinematography, microkinetospheres and variant pinocytic satellites of pinocytic cells in tissue cultures of strain HeLa, 697
Phosphopyridine, di-, nucleotide, reduced, oxidase system, purified preparation, morphology and biochemistry, 1023
Photoreceptor cells, structure and concentration of solids, studied by refractometry and interference microscopy, 15
— structures, *Drosophila melanogaster*, 441
Physiology and chemistry of cell in starvation, 923
Pinocytic cells in tissue cultures of strain HeLa, microkinetospheres and variant pinocytic satellites, by phase contrast cinematography, 697
—, variant, satellites and microkinetospheres of pinocytic cells in tissue cultures of strain HeLa by phase contrast cinematography, 697
Plant cells, cytoplasmic components, structure in relation to biochemical properties of isolated particles, 61
Plants, chromosome aberrations, effect of cyanide and heavy metal complexing agents on production by x-rays, 381
—, chromosome aberrations, induced by cyanide and heavy metal complexing agents, 363
Poly-*N*-acetyl-D-glucosamine, crystal structure, 669
Polysaccharides, muco-, produced in tissue culture, 391
Proline, carbon-14-L, conversion to carbon-14-hydroxyproline by fowl osteoblasts in tissue culture, biosynthesis of collagen, 913
Protein, crystalline, in cells infected by adenovirus, electron microscopic and histochemical studies, 505
—, intravenously injected, segregated by droplets of cells of rat kidneys, 1037
Protozoan, *Euplotes patella*, cytology, electron microscope study, 985

Pulmonate snail, nuclear changes during spermiogenesis, 509
Pyridine, diphospho-, nucleotide cytochrome *c* reductase, reduced, cytochrome *c* oxidase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
—, diphospho-, nucleotide, reduced, oxidase system, purified preparation, morphology and biochemistry, 1023
— nucleotides, in animal tissues, distribution of enzymes cleaving, 31

RABBIT heart, embryology of intercalated disc, electron microscope study, 193
— and swine thymus, chemical fractionation, 812
Radiation, ultraviolet, scattered from microscopic objects, photographic method for measuring, 821
Ranvier, nodes, formation in mouse sciatic nerves, electron microscope studies, 589
Rat, albino, and man, splenic sinuses in, study of structure with light and electron microscopes, 599
— kidney cells, changes in droplet fractions after intraperitoneal injection of egg white, 933
— kidney cells, droplets segregating intravenously injected protein, 1037
— kidney, proximal convoluted tubule cells, 249
— liver cells, tetraploid nuclei during postnatal growth, stained with Feulgen reaction, microspectrophotometry, 949
Reaction, Feulgen, tetraploid nuclei in rat liver cells during postnatal growth, 949
Reductase, cytochrome *c*, reduced, diphosphopyridine nucleotide, cytochrome *c* oxidase, and succinic dehydrogenase, intracellular localization of enzymes in spleen, 397
Refractometry and interference microscopy, structure and concentration of solids in photoreceptor cells, 15
Renal. *See* Kidney.
Reticulum, endoplasmic, form and distribution in striated muscle cells, 269
Ribonuclease, desoxy-, activity of isolated mitochondria, effect of gamma irradiation, 239
—, desoxy-, mitochondrial, action in destroying capacity of isolated cell nuclei to form gels, 649
Ribonucleic acid, desoxy-, molecular structure, 767
— acid, nuclear, metabolism, alterations induced by kinetin, 129
— acid precursor in *Amoeba proteus*, cytoplasmic incorporation, 625
Ribonucleoprotein nature of large particles in meiosporangia of *Allomyces*, 879
Roentgen rays, effect of cyanide and heavy metal complexing agents on production of chromosome aberrations in plants by, 381
— rays, low-angle, diffraction, and electron microscopy, of nerve myelin sheath, 725
Rous tumor cells, fine structural organization, 851

SACCOGLOSSUS *kowalevskii* and *Hydroides hexagonus*, early stages of sperm penetration, electron microscope study, 489
Salt solutions of neutral pH, solubility and properties of purified ichthyocol in, 545
Sarcoma 37, mouse, ascitic fluids, fine structure of cells, 567
Sciatic nerves, of mouse, electron microscope studies of formation of nodes of Ranvier, 589
Sea urchin egg, membrane capacitance, 103
Secretion, albumin, by cells of hen oviduct, cytological study, 325

Secretory granule formation within Golgi apparatus, electron microscopic evidence, 319
Section, how thin should it be, 815
Sectioning, thin, details of techniques, 311
Sections, thin, reduction of heating artifacts, examined in electron microscope, 1017
Sinuses, splenic, in man and albino rat, study of structure with light and electron microscopes, 599
Skin, human, distribution of β-glucuronidase, histology and cytochemistry, 343
Snail, pulmonate, nuclear changes during spermiogenesis, 509
Sodium sulfate sulfur-35 and methionine sulfur-35, autoradiographic determination of sulfur-35 in tissues after injection, 757
Solids, structure and concentration, in photoreceptor cells studied by refractometry and interference microscopy, 15
Solubility and properties of purified ichthyocol in salt solutions of neutral pH, 545
Sperm maturation in locust, fine structure of nuclei, 133
— penetration in *Hydroides hexagonus* and *Saccoglossus kowalevskii*, electron microscope study, 489
Spermatid cell membrane in *Melanoplus differentialis*, 816
— nuclei of grasshopper, developing, submicroscopic structure, 663
Spermatogenesis, electron microscopy, structure of developing spermatid nuclei of grasshopper, 663
Spermiogenesis, in pulmonate snail, nuclear changes, 509
Spider oocytes, vitelline body, electron microscope study, 301
—, *Tegenaria parietina*, oocyte, ultrastructure of vitelline body in, 977
Spinal ganglion cells, living and fixed, Nissl substance, ultraviolet absorption study, 449
Splanchnic nerve, submicroscopic changes of nerve endings in adrenal medulla after stimulation of, 611
Spleen, intracellular localization of enzymes in, reduced diphosphopyridine nucleotide cytochrome *c* reductase, cytochrome *c* oxidase, and succinic dehydrogenase, 397
Splenic sinuses in man and albino rat, study of structure with light and electron microscopes, 599
Stain, Feulgen, of nucleoprotein, quantitative extraction of fuchsin, 525
—, Feulgen reaction, microspectrophotometry of tetraploid nuclei in rat liver cells during postnatal growth, 949
Starvation, cell, physiology and chemistry, 923
Striated muscle cells, form and distribution of endoplasmic reticulum, 269
Striation, cross-, muscle, filaments in, 631
Submicroscopic changes of nerve endings in adrenal medulla after stimulation of splanchnic nerve, 611
— structure of developing spermatid nuclei of grasshopper, 663
Succinate and reduced diphosphopyridine nucleotide oxidase system, purified preparation, morphological and biochemical study, 1023
Succinic dehydrogenase, reduced diphosphopyridine nucleotide cytochrome *c* reductase, and cytochrome *c* oxidase, intracellular localization of enzymes in spleen, 397
Sulfate sulfur-35 and calcium-45, metabolism, in metaphyses of immature rats, influence of β-estradiol benzoate, 151
— sulfur-35, utilization by chick embryo, autoradiographic studies, 231

Sulfur-35, and calcium-45, effects of fluoride feeding on organic matrix of bones and teeth observed by autoradiography after *in vitro* uptake of, 559
— in tissues, autoradiographic determination after injection of methione sulfur-35 and sodium sulfate sulfur-35, 757
—, methionine, and sodium sulfate sulfur-35, autoradiographic determination of sulfur-35 in tissues after injection, 757
—, sulfate, and calcium-45 metabolism, in metaphyses of immature rats, influence of β-estradiol benzoate, 151
— sulfate, utilization by chick embryo, autoradiographic studies, 231
Swine and rabbit thymus, chemical fractionation, 812

TEETH, and bones, effects of fluoride feeding on organic matrix, observed by autoradiography after *in vitro* uptake of calcium-45 and sulfur-35, 559
Tegenaria parietina, oocyte, ultrastructure of vitelline body in, 977
Thymus, rabbit and swine, chemical fractionation, 812
Tissue culture, formation of collagen, and growth of fowl osteoblasts, 897
— culture, fowl osteoblasts, conversion of carbon-14-L-proline to carbon-14-hydroxyproline, collagen biosynthesis, 913
— culture, mucopolysaccharides produced in, 391
— culture to ascertain role of ascorbic acid in collagen formation, 685
— cultures, strain HeLa, microkinetospheres and variant pinocytic satellites of pinocytic cells, phase contrast cinematography, 697
— fixation, osmium tetroxide in, effects of varying vehicle, 827
— mast cell, electron microscopy, 9
Tissue, smooth muscle, mammalian, architecture and nerve supply, 867
Tissues, animal, cultivated *in vitro*, nutrition, amino acid requirements of chick embryonic heart fibroblasts, 141
—, animal, pyridine nucleotides in, distribution of enzymes cleaving, 31
—, autoradiographic determination of sulfur-35 in, after injection of methionine sulfur-35 and sodium sulfate sulfur-35, 757
Trichohyaline, and inner root sheath, electron microscopy of human hair follicle, 223
Tubule, convoluted, proximal, cells, of rat kidney, 249
Tumor cell, ascites, nucleolus and parachromatin, 123
— cells, Rous, fine structural organization, 851
—, Ehrlich ascites, cells, intracytoplasmic particles, morphology and distribution, electron microscope study, 161

ULTRAVIOLET absorption, Nissl substance of living and fixed spinal ganglion cells, 449
— radiation scattered from microscopic objects, photographic method for measuring, 821

VIRUS-LIKE particles, intracytoplasmic, of Ehrlich ascites tumor cells, morphology and distribution, electron microscope study, 161
Vitelline body in oocyte of *Tegenaria parietina*, ultrastructure, 977
— body of spider oocytes, electron microscope study, 301

WATER, role in structure of peripheral nerve myelin, 95

X-RAYS. *See* Roentgen rays.

YOLK platelets of amphibian oocytes, ultrastructure, 1040